

M-150 Range of Motion Exercises

Purpose

Maintain present level of function and mobility of extremity involved.

Prevent contractures and shortening of musculoskeletal structures.

Prevent complications of immobility.

Applies To

Registered Nurses

Licensed Practical/Vocational Nurses

Other (*Identify*): _____

Equipment/Supplies

None.


Procedure

1. Wash hands. Refer to the Hand Washing procedure.
2. Place the client in a supine (on back) position.
3. Range of motion exercises may be performed by:
 - a. Client without assistance – Active.
 - b. Client with assistance - Assistant Active.
 - c. Clinician or caregiver with no assistance from the client – Passive.
 - d. Client using resistance to work against clinician – Resistive.
4. Perform the movements slowly and smoothly. A joint should be moved only to the point of resistance, pain or spasm, whichever comes first.
5. Apply a firm, but comfortable grip on the limbs above and below the joint.
6. Use a cradle position.
7. Perform each exercise 3-10 times.
8. Observe for signs of exertion or discomfort.

Documentation Guidelines

Document in the clinical record:


1. Where range of motion exercise performed.
2. Areas of limited range and degree of limitation.
3. Areas of passive versus active range of motion.
4. Reports of pain or discomfort.




ABDUCTION



ADDUCTION







EXTENTION




FLEXION


SHOULDER - ACTIVE:




ELBOW




FOREARM ROTATION




WRIST




FINGERS



THUMB





Related Procedures

None.

Policy History

Approval Date	11/1/2009
Approved By	Anne Tyson, Herman Pippin, Sandra Hill
Revision Date	12/31/2009
Approved by	Anne Tyson, Herman Pippin, Sandra Hill
Revision Date	
Approved by	
Revision Date	
Approved by	